Potential Cemetery Sites Assessment Summary

	Site	Area	Size (hectares)	Vehicle access	Major Earthworks required	High Voltage Cables	Ground Water Considerations	Fits Local Plan (Size)	Suitable for further investigation	Outcome of fuinvestigations
	Alcester Highway Extension Land	A	0.7	None	Yes	Yes	Wide open water course with signs of flooding	No	No	
	Alcester Highway Extension Land	В	0.4	None	No	Yes	Narrow ditch	No	No	
	(Morrisons) Arrow Valley Park, Battens Drive	A	1.1	None	Yes	No	None	No	No	
	(Morrisons) Arrow Valley Park, Battens Drive	В	2.5	None	No	No	Open stream & water channel	Yes	Yes	Access would from 40mph re other sites potentially mo suitable there excluded from investigations
	Foxlydiate Wood, Brockhill Drive	A	1.7	None	Yes	No	None	Yes	No	
	Edgioake Lane Cemetery, Edgioake Lane	A	1.4	None	No	No	None	No	Yes	Site not for sa
7	Ipsley Church Lane, Ipsley	А	0.7	None	Yes	Yes	None	No	No	
8	Ipsley Church Lane, Ipsley	В	0.3	None	Yes	Yes	None	No	No	
9	Ipsley Church Lane, Ipsley	С	4.5	None	No	No	Small Pond near south west corner	Yes	Yes	Minor earthwo location near church & addir carparking for events
10	Greenlands Park, Throckmorton Road	A	5.0	Yes	No	No	Small open stream running west to east	Yes	Yes	Loss of sports facilities which Sport England likely to object against
11	Greenlands Park, Throckmorton Road	В	1.4	None	Yes	No	Small open stream running west to east	No	No	
	Coldfield Drive, Oakenshaw	A	2.5	None	Yes	Yes	Small open drainage channel	Yes	No	
	Oakenshaw Park, Rosehall Close, Pheasant Lane	A	0.7	None	Yes	No	None	No	No	
	Oakenshaw Park, Rosehall Close, Pheasant Lane	В	0.4	None	Yes	No	None	No	No	
	Oakenshaw Park, Rosehall Close, Pheasant Lane	С	0.9	None	Yes	No	None	No	No	

further 1s	Site Status
	Discounted
	Discounted
	Discounted
d be road	Discounted
nore refore m	
15	Discounted
ale	Discounted
	Discounted
	Discounted
works, r ditional or large	Recommended
ts ch nd are ect	Discounted

	Site	Area	Size (hectares)	Vehicle access	Major Earthworks required	High Voltage Cables	Ground Water Considerations	Fits Local Plan (Size)	Suitable for further investigation	Outcome of further investigations	Site Status
	Oakenshaw Park, Rosehall Close, Pheasant Lane	D	0.6	None	Yes	No	None	No	No		Discounted
	Oakenshaw Park, Rosehall Close, Pheasant Lane	E	0.5	None	Yes	No	None	No	No		Discounted
	Woodrow Park, Milcote Close, Highland Way, Netherfield, Greenland, Woodrow North	A	2.4	None	Yes	No	None	Yes	No		Discounted
	Woodrow Park, Milcote Close, Highland Way, Netherfield, Greenland, Woodrow North	В	1.2	None	Yes	No	None	No	No		Discounted
	Woodrow Park, Milcote Close, Highland Way, Netherfield, Greenland, Woodrow North	С	1.3	None	Yes	No	None	No	No		Discounted
21	Brooklands Lane	A		None	Yes	No	None	Yes	Yes	Located on an aquifer and has underground high voltage cables	Discounted
22	Bordesley Abbey Extension	A	2.5	None	Yes	No	None	Yes	Yes	Located within a scheduled ancient monument & fails local plan on sustainable transport	Not Recommended
23	Bordesley Abbey Extension	В	0.6	None	No	No	None		Yes	Loss of sports facilities which Sport England are likely to object against & fails local plan on sustainable transport	Not Recommended
24	Bordesley Abbey Extension	С	2.6	None	Yes	No	None	Yes	Yes	Fails local plan on sustainable transport	Not Recommended
25	Plymouth Road Cemetery	A		Yes	No	No	None	No	Yes	Requires private bill in parliament and extensive works to reuse graves	Not Recommended
26	Sillins Lane, Callow Hill	А	1.9	None	Yes	No	None	Yes	Yes		Discounted